SAFETY DATA SHEET



Date of issue/Date of revision 25 May 2022 Version 3

| Section 1. Identification | | |
|---|---|--|
| Product name | : RAL 1034 PASTEL YELLOW UD | |
| Product code | : PCTA39119 | |
| Other means of identification | : Not available. | |
| Product type | : Powder. | |
| Relevant identified uses o | f the substance or mixture and uses advised against | |
| Product use | : Industrial applications. | |
| Use of the substance/ mixture | : Coating. Paints. Painting-related materials. | |
| Uses advised against | : Not applicable. | |
| Manufacturer <u>Emergency telephone</u> | PPG Industries, Inc. One PPG Place Pittsburgh, PA 15272 (412) 434-4515 (U.S.) (514) 645 1320 (Canada) | |
| <u>number</u> | (514) 645-1320 (Canada) SETIQ Interior de la República: 800-00-214-00 (México) SETIQ Ciudad de México: (55) 5559-1588 (México) | |
| Technical Phone Number | : 1-888-774-2001 (US and Canada) | |

Section 2. Hazards identification

| OSHA/HCS status | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). |
|--|--|
| Classification of the substance or mixture | : COMBUSTIBLE DUSTS ACUTE TOXICITY (oral) - Category 4 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 CARCINOGENICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |
| | Percentage of the mixture consisting of ingredient(s) of unknown acute toxicity: 6.8% (dermal), 1.3% (inhalation) |
| GHS label elements | |
| Hazard pictograms | |

Product name RAL 1034 PASTEL YELLOW UD

Section 2. Hazards identification

| Signal word | : Danger | |
|-------------------------------------|---|--|
| Hazard statements | Harmful if swallowed. May cause an allergic skin reaction. May cause genetic defects. Suspected of causing cancer. May cause damage to organs through prolonged or repeated exposure. May form combustible dust concentrations in air. | |
| Precautionary statements | | |
| Prevention | : Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves, protective clothing and eye or face protection. Do not breathe dust or mist. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace. | |
| Response | : IF exposed or concerned: Get medical advice or attention. IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. Rinse mouth. Wash contaminated clothing before reuse. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice or attention. | |
| Storage | : Store locked up. | |
| Disposal | : Dispose of contents and container in accordance with all local, regional, national and international regulations. | |
| Supplemental label elements | : Keep container tightly closed. Keep away from heat, sparks, open flames and hot surfaces No smoking. Sanding and grinding dusts may be harmful if inhaled. Prevent dust accumulation. Emits toxic fumes when heated. | |
| Hazards not otherwise classified | : Fine dust clouds may form explosive mixtures with air. Handling and/or processing of this material may generate a dust which can cause mechanical irritation of the eyes, skin, nose and throat. | |

Section 3. Composition/information on ingredients

| Substance/mixture | ÷ | Mixture |
|-------------------|---|---------------------------|
| Product name | 1 | RAL 1034 PASTEL YELLOW UD |

| Ingredient name | % | CAS number |
|---|-------------------------|-------------------------|
| | ≥10 - ≤20 ≥5.0 - <10 | 13463-67-7 2451-62-9 |
| 1,0,0-tho(0,1)anyinethy)-1,0,0-thathe-2,4,0(11,01,01)-thone | 20.0 - 10 | 2401-02-3 |

SUB codes represent substances without registered CAS Numbers.

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

If ingestion, irritation, any type of overexposure or symptoms of overexposure occur during or persists after use of this product, contact a POISON CONTROL CENTER, EMERGENCY ROOM OR PHYSICIAN immediately; have Safety Data Sheet information available. Never give anything by mouth to an unconscious or convulsing person.

Description of necessary first aid measures

| Eye contact | : Check for and remove any contact lenses. Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Seek immediate medical attention. |
|--------------|--|
| Inhalation | Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. |
| Skin contact | Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Do NOT use solvents or thinners. |
| Ingestion | If swallowed, seek medical advice immediately and show this container or label. Keep person warm and at rest. Do NOT induce vomiting. |

Most important symptoms/effects, acute and delayed

Potential acute health effects Eye contact : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. Inhalation : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. Skin contact : May cause an allergic skin reaction. Ingestion : Harmful if swallowed. Over-exposure signs/symptoms Eye contact : Adverse symptoms may include the following: irritation redness : Adverse symptoms may include the following: Inhalation respiratory tract irritation coughing Skin contact : Adverse symptoms may include the following: irritation redness Ingestion : No specific data. Indication of immediate medical attention and special treatment needed, if necessary Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours. **Specific treatments** : No specific treatment. **Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

| Extinguishing media | |
|--|--|
| Suitable extinguishing media | : Use dry chemical powder. |
| Unsuitable extinguishing media | : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture. |
| Specific hazards arising from the chemical | : Fine dust clouds may form explosive mixtures with air. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|--------------------------------|--|
| For emergency responders | |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for co | entainment and cleaning up |
| Small spill | : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Place spilled material in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |
| | United States Page: 4/13 |

Product name RAL 1034 PASTEL YELLOW UD

Section 6. Accidental release measures

Section 7. Handling and storage

| Precautions for safe handling | | |
|--|---|--|
| Protective measures | Put on appropriate personal protective equipment (see Section 8). Persons we istory of skin sensitization problems should not be employed in any process in product is used. Avoid exposure - obtain special instructions before use, andle until all safety precautions have been read and understood. Do not get r on skin or clothing. Do not breathe dust. Do not ingest. Avoid the creation when handling and avoid all possible sources of ignition (spark or flame). Precumulation. Use only with adequate ventilation. Wear appropriate respirate entilation is inadequate. Keep in the original container or an approved alternade from a compatible material, kept tightly closed when not in use. Electri quipment and lighting should be protected to appropriate standards to prever oming into contact with hot surfaces, sparks or other ignition sources. Take recautionary measures against electrostatic discharges. To avoid fire or explicitly during transfer by grounding and bonding containers quipment before transferring material. Empty containers retain product reside an be hazardous. Do not reuse container. | in which Do not et in eyes n of dust event dust for when native cal ent dust plosion, s and due and |
| Special precautions | this material is part of a multiple component system, read the Safety Data S ne other component or components before blending as the resulting mixture ne hazards of all of its parts. | |
| Advice on general occupational hygiene | Eating, drinking and smoking should be prohibited in areas where this materia andled, stored and processed. Workers should wash hands and face before rinking and smoking. Remove contaminated clothing and protective equipmentering eating areas. See also Section 8 for additional information on hygien neasures. | e eating, ient before |
| Conditions for safe storage, including any incompatibilities | to not store below the following temperature: 5°C (41°F). Store in accordance ocal regulations. Store in a segregated and approved area. Store in original rotected from direct sunlight in a dry, cool and well-ventilated area, away from compatible materials (see Section 10) and food and drink. Store locked up Il ignition sources. Separate from oxidizing materials. Keep container tightly and sealed until ready for use. Containers that have been opened must be can be sealed and kept upright to prevent leakage. Do not store in unlabeled containers appropriate containment to avoid environmental contamination. | container m . Eliminate y closed arefully |

Section 8. Exposure controls/personal protection

Control parameters

| Ingredient name | Exposure limits | | |
|--|--|--|--|
| utanium dioxide | OSHA PEL (United States, 5/2018). TWA: 15 mg/m ³ 8 hours. Form: Total dust ACGIH TLV (United States, 1/2021). TWA: 10 mg/m ³ 8 hours. | | |
| 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)-trione | ACGIH TLV (United States, 1/2021). TWA: 0.05 mg/m ³ 8 hours. | | |
| Key to abbreviations | | | |
| A = Acceptable Maximum Peak | S = Potential skin absorption | | |
| | United States Page: 5/13 | | |

Product name RAL 1034 PASTEL YELLOW UD

Section 8. Exposure controls/personal protection

| ACGIH = American Conference of C = Ceiling Limit F = Fume IPEL = Internal Permissible Expr OSHA = Occupational Safety and R = Respirable | | SR=Respiratory sensitizationSS=Skin sensitizationSTEL=Short term Exposure limit valuesTD=Total dustTLV=Threshold Limit ValueTWA=Time Weighted Average | |
|---|---|--|----------------------------|
| • | 0 Subpart Z - Toxic and Hazardous Substances | | |
| Consult local authorities for a | cceptable exposure limits. | | |
| Recommended monitoring procedures | atmosphere or biological monitoring the ventilation or other control meas protective equipment. Reference sh | with exposure limits, personal, workplace I may be required to determine the effectivenes sures and/or the necessity to use respiratory nould be made to appropriate monitoring stand uments for methods for the determination of equired. | |
| Appropriate engineering controls | or mist, use process enclosures, loc to keep worker exposure to airborne limits. The engineering controls also below any lower explosive limits. Use | If user operations generate dust, fumes, gas, v cal exhaust ventilation or other engineering con e contaminants below any recommended or sta o need to keep gas, vapor or dust concentratio se explosion-proof ventilation equipment. | ntrols atutory ons |
| Environmental exposure controls | they comply with the requirements o | process equipment should be checked to ensure of environmental protection legislation. In some gineering modifications to the process equipment ns to acceptable levels. | е |
| Individual protection measured | <u>es</u> | | |
| Hygiene measures | eating, smoking and using the lavate Appropriate techniques should be us Contaminated work clothing should | proughly after handling chemical products, befo ory and at the end of the working period. sed to remove potentially contaminated clothing not be allowed out of the workplace. Wash ig. Ensure that eyewash stations and safety n location. | |
| Eye/face protection | : Safety glasses with side shields. | | |
| Skin protection | | | |
| Hand protection | worn at all times when handling che necessary. Considering the parame during use that the gloves are still re noted that the time to breakthrough | res complying with an approved standard shoul emical products if a risk assessment indicates the eters specified by the glove manufacturer, check etaining their protective properties. It should be for any glove material may be different for differ f mixtures, consisting of several substances, the be accurately estimated. | his is ck e erent |
| Gloves | : butyl rubber | | |
| Body protection | | ne body should be selected based on the task b id should be approved by a specialist before | being |
| Other skin protection | : Appropriate footwear and any addition | onal skin protection measures should be selec and the risks involved and should be approved uct. | |

Page: 7/13

United States

Product name RAL 1034 PASTEL YELLOW UD

Section 8. Exposure controls/personal protection

| Respiratory protection | : Respirator selection must be based on known or anticipated exposure levels, the |
|-------------------------------|---|
| | hazards of the product and the safe working limits of the selected respirator. If workers |
| | are exposed to concentrations above the exposure limit, they must use appropriate, |
| | certified respirators. Use a properly fitted, air-purifying or air-fed respirator complying |
| | with an approved standard if a risk assessment indicates this is necessary. |
| | The respiratory protection shall be in accordance to 29 CFR 1910.134. |

Section 9. Physical and chemical properties

Appearance

| Physical state | : | Solid. | | | |
|--|---|---|--|--|--|
| | | Powder. | | | |
| Color | : | Not available. | | | |
| Odor | : | Not available. | | | |
| Odor threshold | : | Not available. | | | |
| рН | 1 | Not applicable. | | | |
| Melting point | 1 | Not available. | | | |
| Boiling point | : | Not available. | | | |
| Flash point | : | Closed cup: Not applicable. | | | |
| Auto-ignition temperature | : | Not applicable. | | | |
| Decomposition temperature | : | Not available. | | | |
| Flammability (solid, gas) | : | Not available. | | | |
| Lower and upper explosive (flammable) limits | : | Not applicable. | | | |
| Evaporation rate | : | Not available. | | | |
| Vapor pressure | : | Not available. | | | |
| Vapor density | : | Not applicable. | | | |
| Relative density | : | 1.37 | | | |
| Density(lbs / gal) | : | 11.43 | | | |
| Solubility | : | Insoluble in the following materials: cold water. | | | |
| Partition coefficient: n- octanol/water | 1 | Not applicable. | | | |
| Viscosity | : | Kinematic (40°C (104°F)): Not applicable. | | | |
| Volatility | : | 0% (v/v), 0% (w/w) | | | |
| % Solid. (w/w) | : | 100 | | | |

Section 10. Stability and reactivity

| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
|------------------------------------|--|
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |

Product name RAL 1034 PASTEL YELLOW UD

Section 10. Stability and reactivity

| Conditions to avoid | : When exposed to high temperatures may produce hazardous decomposition products. Refer to protective measures listed in sections 7 and 8. |
|----------------------------------|---|
| Incompatible materials | : Keep away from the following materials to prevent strong exothermic reactions: oxidizing agents, strong alkalis, strong acids. |
| Hazardous decomposition products | : Depending on conditions, decomposition products may include the following materials: carbon oxides nitrogen oxides metal oxide/oxides |
| | |

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | | | Species | Dose | Exposure |
|--|---|--------------|----------------|----------------------|--|-------------------|
| titanium dioxide | LC50 Inhalation Dusts and mists LD50 Dermal LD50 Oral | | | Rat Rabbit Rat | >6.82 mg/l >5000 mg/kg >5000 mg/kg | 4 hours - - |
| 1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1H,3H, 5H)-trione | LD50 Oral | | | Rat | 138 mg/kg | - |
| Conclusion/Summary | : There are | e no data av | vailable on th | e mixture itse | elf. | |
| Irritation/Corrosion | | | | | | |
| Conclusion/Summary | | | | | | |
| Skin | : There are | e no data av | vailable on th | e mixture itse | elf. | |
| Eyes | : There are no data available on the mixture itself. | | | | | |
| Respiratory | : There are no data available on the mixture itself. | | | | | |
| Sensitization | | | | | | |
| Conclusion/Summary | | | | | | |
| Skin | : There are no data available on the mixture itself. | | | | | |
| Respiratory | : There are no data available on the mixture itself. | | | | | |
| <u>Mutagenicity</u> | | | | | | |
| Conclusion/Summary | : There are no data available on the mixture itself. | | | | | |
| Carcinogenicity | | | | | | |
| Conclusion/Summary | : There are no data available on the mixture itself. | | | | | |
| <u>Classification</u> | | | | | | |
| Product/ingredient name | OSHA | IARC | NTP | | | |
| titanium dioxide | - | 2B | - | | | |

Carcinogen Classification code:

IARC: 1, 2A, 2B, 3, 4 NTP: Known to be a human carcinogen; Reasonably anticipated to be a human carcinogen OSHA: + Not listed/not regulated: -

Reproductive toxicity

Conclusion/Summary

: There are no data available on the mixture itself.

United States Page: 8/13

Product name RAL 1034 PASTEL YELLOW UD

Section 11. Toxicological information

Teratogenicity

Conclusion/Summary : There are no data available on the mixture itself.

Specific target organ toxicity (single exposure)

Not available.

Specific target organ toxicity (repeated exposure)

| Name | | Route of exposure | Target organs |
|--|------------|----------------------|---------------|
| 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H,5H)- trione | Category 2 | - | - |

Target organs

: Contains material which causes damage to the following organs: skin, eyes. Contains material which may cause damage to the following organs: kidneys, the reproductive system, upper respiratory tract, , bone marrow, testes.

Aspiration hazard

Not available.

Information on the likely routes of exposure

| Potential acute health effect | <u>5</u> |
|-------------------------------------|--|
| Eye contact | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes. |
| Inhalation | : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs. |
| Skin contact | : May cause an allergic skin reaction. |
| Ingestion | : Harmful if swallowed. |
| Over-exposure signs/sympto | oms |
| Eye contact | : Adverse symptoms may include the following: irritation redness |
| Inhalation | : Adverse symptoms may include the following: respiratory tract irritation coughing |
| Skin contact | : Adverse symptoms may include the following: irritation redness |
| Ingestion | : No specific data. |
| Delayed and immediate effect | s and also chronic effects from short and long term exposure |
| Conclusion/Summary | : There are no data available on the mixture itself. Repeated exposure of the eyes to a low level of dust can produce eye irritation. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Ingestion may cause nausea, diarrhea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact. |
| <u>Short term exposure</u> | |
| Potential immediate effects | : There are no data available on the mixture itself. |
| Potential delayed effects | : There are no data available on the mixture itself. |
| Long term exposure | |
| | United States Page: 9/13 |

Section 11. Toxicological information

| Potential immediate effects | : There are no data available on the mixture itself. |
|--------------------------------|---|
| Potential delayed effects | : There are no data available on the mixture itself. |
| Potential chronic health eff | <u>ects</u> |
| General | : May cause damage to organs through prolonged or repeated exposure. Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation. Once sensitized, a severe allergic reaction may occur when subsequently exposed to very low levels. |
| Carcinogenicity | Suspected of causing cancer. Risk of cancer depends on duration and level of exposure. |
| Mutagenicity | : May cause genetic defects. |
| Reproductive toxicity | : No known significant effects or critical hazards. |

Numerical measures of toxicity

Acute toxicity estimates

| Product/ingredient name | Oral (mg/ kg) | Dermal (mg/kg) | (gases) | (vapors) | Inhalation (dusts and mists) (mg/ I) |
|---|------------------|-------------------|------------|------------|---|
| RAL 1034 PASTEL YELLOW UD 1,3,5-tris(oxiranylmethyl)-1,3,5-triazine-2,4,6(1H,3H, 5H)-trione | 1811.1 100 | N/A N/A | N/A N/A | N/A N/A | N/A N/A |

Section 12. Ecological information

Toxicity

| Product/ingredient name | Result | Species | Exposure |
|-------------------------|----------------------------------|-------------------------|----------|
| titanium dioxide | Acute LC50 >100 mg/l Fresh water | Daphnia - Daphnia magna | 48 hours |

Persistence and degradability

Not available.

Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|--|--------|-----|-----------|
| 1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1H,3H, 5H)-trione | -0.8 | - | low |

Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Product name RAL 1034 PASTEL YELLOW UD

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: HANDLING AND STORAGE and Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION for additional handling information and protection of employees. Section 6. Accidental release measures

14. Transport information

| | DOT | IMDG | ΙΑΤΑ |
|--------------------------------|-----------------|-----------------|-----------------|
| UN number | Not regulated. | Not regulated. | Not regulated. |
| UN proper shipping name | - | - | - |
| Transport hazard class (es) | - | - | - |
| Packing group | - | - | - |
| Environmental hazards | No. | No. | No. |
| Marine pollutant substances | Not applicable. | Not applicable. | Not applicable. |

Additional information

- DOT: None identified.IMDG: None identified.
- IATA : None identified.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according : Not applicable. to IMO instruments

Section 15. Regulatory information

United States

United States inventory (TSCA 8b) : All components are active or exempted.

SARA 302/304

SARA 304 RQ

: Not applicable.

Composition/information on ingredients

No products were found.

SARA 311/312

Classification : COMBUSTIBLE DUSTS ACUTE TOXICITY (oral) - Category 4 SKIN SENSITIZATION - Category 1 GERM CELL MUTAGENICITY - Category 1 CARCINOGENICITY - Category 2 SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2

Composition/information on ingredients

| Name | % | Classification |
|--|-------------------------|--|
| titanium dioxide 1,3,5-tris(oxiranylmethyl) -1,3,5-triazine-2,4,6(1H,3H,5H)- trione | ≥10 - ≤20 ≥5.0 - <10 | CARCINOGENICITY - Category 2 COMBUSTIBLE DUSTS ACUTE TOXICITY (oral) - Category 3 SERIOUS EYE DAMAGE - Category 1 SKIN SENSITIZATION - Category 1B GERM CELL MUTAGENICITY - Category 1B SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE) - Category 2 |

Additional environmental information is contained on the Environmental Data Sheet for this product, which can be obtained from your PPG representative.

California Prop. 65

MARNING: Cancer - www.P65Warnings.ca.gov.

Section 16. Other information

Hazardous Material Information System (U.S.A.)

Health : 2 * Flammability : 0 Physical hazards : 1

(*) - Chronic effects

Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on MSDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.

The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.

| National Fire Protection Association (U.S.A.) | | | | | | |
|---|------|------|------------------------------|---|---|--|
| Health | : | 2 | Flammability : 0 Instability | 1 | 1 | |
| Date of | pre\ | /iou | s issue : 6/18/2021 | | | |
| Organiz | | n th | at prepared : EHS | | | |

Product name RAL 1034 PASTEL YELLOW UD

Section 16. Other information

| Key to abbreviations | : ATE = Acute Toxicity Estimate |
|----------------------|---|
| - | BCF = Bioconcentration Factor |
| | GHS = Globally Harmonized System of Classification and Labelling of Chemicals |
| | IATA = International Air Transport Association |
| | IBC = Intermediate Bulk Container |
| | IMDG = International Maritime Dangerous Goods |
| | LogPow = logarithm of the octanol/water partition coefficient |
| | MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) |
| | N/A = Not available |
| | SGG = Segregation Group |
| | UN = United Nations |
| | |

Indicates information that has changed from previously issued version.

Disclaimer

The information contained in this data sheet is based on present scientific and technical knowledge. The purpose of this information is to draw attention to the health and safety aspects concerning the products supplied by PPG, and to recommend precautionary measures for the storage and handling of the products. No warranty or guarantee is given in respect of the properties of the products. No liability can be accepted for any failure to observe the precautionary measures described in this data sheet or for any misuse of the products.